



## Yarn Technical Data Sheet

### MOUSSE 30000


Last update: 07.04.2021

<b>Count</b>	<b>Gauge</b>
Nm 30000	14
<b>Composition</b>	
60% Combed cotton - 40% polyamide	
<b>Shade Card</b>	
MOUSSE-SPUGNETTA-MINECRAFT 1.3	
<b>Description</b>	<b>Colors</b>
Fine boucle'	30
<b>Customer Color</b>	
yes	
<b>Availability</b>	<b>Raw</b>
on request	yes
<b>Kg Minimum</b>	
2	

<b>Pilling (ISO 12945-1:2002)</b>	
3/4	
<b>Unit Weight (g/m2)</b>	<b>Wastage (%)</b>
154	4
<b>Conventional standard conditioning (%)</b>	
7,59	
<b>Average applied conditioning (%)</b>	
3,00	
<b>Suggested International Symbols</b>	



#### End Uses



Requirements	Discharge on cotton	Color changing
Color fastness to washing in water 40° (ISO 105/C06)	4	4
Color fastness to dry cleaning (ISO 105/D01)	4	4
Color fastness to acid-basic sweat (ISO 105/E04)	4	4
Color fastness to rubbing (ISO 105/X12)		
Dry	4	
Wet		
Light	3/4	
Medium-dark	2/3	
Black		
Melange light		
Melange medium-dark and grey		
Color fastness to light (ISO 105/B02)		
Light		3/4
Medium-dark		4

#### Certifications



#### Special Cares

Yarn subject to different shrinkage depending on color; before knitting each lot, we recommend to test machine settings to make sure they are suitable for obtaining the desired garment size. The yarn shows tendency to torque the knit. The use for knitwear is subjected to verification by the customers about the yarn suitability to the kind of stitch or structure realized.

#### SPECIAL ATTENTION

- The yarn is in compliance with the REACH Regulation (1907/2006).
- If this yarn is used for stripes with white or contrasting colors, please specify with the order proposal in order to verify the possibility of doing it.
- We recommend to test different colors which can be representative for bulk production. Different colors may require adjustments relating knitting and finishing process.
- Knitting: please ensure a perfect functioning of the machine. Use of electronic feeded machines is highly recommended. When starting to knit a different batch it is recommended to check new outcome and see the tightness of needles to adjust possible differences.
- No claims can be accepted on knitted panel for more than kg 5 of each dye lot, and in no case on finished garments.