MONTICOLOR

Yarn Technical Data Sheet



MINECRAFT 15000

								•	
Count			Gauge		Pilling (ISO 12945-1:2002)			Flammability	
Ne 9/1 - Nm 15000			12		3/4			Class 1 - not inflame	
Composition					Unit Weight (g/m2)			Wastage (%)	
65% combed cotton - 35% Polyamide					215			4	
					Conventional standard conditioning (%)				
Shade Card					7,70				
MOUSSE-SPUGNETTA-MINECRAFT 3.0					Average applied conditioning (%)				
Description			Colors		3,00				
Grained bouclé			7		Suggested International Symbols				
Customer Color					40°		$\mathbf{\Lambda}$	\bowtie	_
no					40/		\bowtie	\bowtie	
Availability	Availability		Raw		End Uses				
fast service	;		no		Weft	Sock	Jersey	Tricot	
Kg Minimum					WEAVING	Π	$\left(\begin{array}{c} \\ \\ \end{array} \right)$	(BBB)	
5					WEAVING			(HAA)	
	Requirements				Discharge o	n cotton	Color cha	Inging	
		er 40° (ISO 105/C06) O 105/D01)		4 4 4		4 4 4			
	Color fastnes								
		at (ISO 105/E04)		4		4			
				· · ·					
	Color fastness to rubbing (ISO 10 Dry		55/712)		4				
	Wet Light				3/4				
		Medium-dark			2/3				
		Black			2/3	3			
		Melange light			2/3	3			
		Melange mediun	n-dark and grey		2/3	3			
	Color fastness to light (ISO 105/B02) Light								
								/4	
		Medium-dark					2	1	
	•								

Certifications



Special Cares

Yarn subject to different shrinkage depending on color; before knitting each lot, we recommend to test machine settings to make sure they are suitable for obtaining the desired garment size. The yarn shows tendency to torque the knit. The use for knitwear is subjected to verification by the customers about the yarn suitability to the kind of stich or structure realized.

SPECIAL ATTENTION - The yarn is in compliance with the REACH Regulation (1907/2006).

If this yarn is used for stripes, with white or contrasting colors and/or for wholegarment please specify with the order proposal, in order to verify the possibility of doing it.
We recommend to test different colors which can be representative for bulk production. Different colors may require adjustments relating knitting and finishing process.
Knitting: please ensure a perfect functioning of the machine. Use of electronic feeded machines is highly recommended. When starting to knit a different batch it is

recommended to check new outcome and se the tightness of needles to adjust possible differences. - No claims can be accepted on knitted panel for more than kg 5 of each dye lot, and in no case on finished garments.

- The RAW-WHITE variant has a different behavior compared to the dyed colors as it didn't undergo the dyeing process and can therefore show variations in shade from one lot to another.